

**North Lebanon Township Municipal
Sewer Application for
Sewer Permit or Reconnect Permit**

Date: _____ EDU's: _____ New or Reconnect: _____

ADDRESS OF PROPERTY: _____

Property will be connected to (choose one) City Water Well Water

✖ ✖ ✖ ✖ ✖ ✖ ✖ ✖ ✖ ✖ ✖ ✖ ✖ ✖

Owner's Name: _____

Owner's Address: _____

Owner's Telephone Number: _____

✖ ✖ ✖ ✖ ✖ ✖ ✖ ✖ ✖ ✖ ✖ ✖ ✖ ✖

Plumber's Name: _____

Plumber's Address: _____

Plumber's Phone Number: _____

**** *Plumber's liability insurance must be on file with the Township prior to any permit being approved.*

✖ ✖ ✖ ✖ ✖ ✖ ✖ ✖ ✖ ✖ ✖ ✖ ✖ ✖

A sketch showing lot and location of dwelling/building to be connected to sewer and THE LATERAL CONNECTION, LENGTH & DEPTH must accompany ALL applications for sewer permits.

NOTE: NORTH LEBANON TOWNSHIP SEWER PERMITS ARE NON-TRANSFERABLE


Return applications to North Lebanon Township, 725 Kimmerlings Road, Lebanon, PA 17046 or FAX to 717-273-7672.

TWP OFFICE USE ONLY			
Connection Fee:\$	_____	EDU Purchase:\$	_____
		Insp/Admin:\$	_____
Saddle:\$	_____	Sp Purp Fee:\$	_____
		Sp Purp Fee:\$	_____
Other :\$	_____	Reconnect:\$	_____
		TOTAL PERMIT FEE:\$	_____

- **EXISTING SEWER WILL NOT BE DISTURBED IN ANY WAY** (All repairs costs will be bore by installer)
- Written specifications are in the Authority's Specifications
- Lateral shall be sloped at minimum 1/4" per foot
- (**) Standard cleanout detail, if submitted separately, must be "screw on" caps (plugs) and they are to be water tight
- (*) Space between Test Tee & sewer main will be as required
- Septic Tank Can not be used for pump installation
- Septic tank must be drained and filled with either stone or dirt
- Trench must remain open for inspection. Any trench that is filled must be uncovered for inspection

- Metal Marking Tape will be placed 12" above the pipe for the entire horizontal run.

- Air Pressure test : Test time length: 5 minutes
Test air pressure: 5 pounds



TYPICAL BUILDING LATERAL DETAIL

NORTH LEBANON
TOWNSHIP MUNICIPAL
AUTHORITY

725 Kimmerlings Rd
Lebanon, PA 17046
(717) 273-7132

DATE	REVISIONS
6/93	Adopted
4/95	Revised -screw on caps
12/96	Revised -(*)
4/01	Revised-metal tape

DESIGN # NLTMA 1010